


## THE STABLE STEP SOLUTION.

No more bouncing in and out of your RV.

The **StepAbove®** entry steps provide a stable, comfortable entry to and exit from your RV and store in the doorway during travel.

Now available in a strut-assist model that makes lifting the step completely effortless.

Complete your **StepAbove®** set-up with the easy bolt-on handrail for even more stability, and the Step Storage Box to fill that empty space left behind by the stock entry steps.





# QUICK CONNECT STEP

The same design and stability as our StepAbove® — only removable.

The perfect step for motorhome and towable RV owners or anyone who needs the flexibility of a removable step. Easily detach your step with the quick release mechanism and store it in the truck bed or baggage compartment.



Mounting bracket

Quick release mechanism

Simple to attach and detach

	PART #	STEP HEIGHT
2 STEP	STP54-011H	21.5" – 27.5"
3 STEP	STP54-010H	27.5" – 36"
4 STEP	STP54-012H	35.5" – 44"



Please review the Quick Connect Step Pre-Installation Instructions to determine the correct Quick Connect Step for your unit.



# THE WEIGHTLESS RV STEP SOLUTION

## STRUT ASSIST

- Easily lift and lower the step with one finger
- Provides sure footing
- Eliminates bouncing in and out of your RV
- Adjustable feet for stability on uneven terrain
- 500 lb weight capacity
- Designed for 5th wheels and travel trailers



EASILY LIFT WITH ONE FINGER

PATENTED #9903121



## STRUT ASSIST FIT CHART

	PART NUMBER*	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	—OR— DOOR WIDTH Size from Flange to Flange
3 STEP	STP-3-26-29	31.5" – 37.5"	9"	26"	23.75" – 24.25"
	STP-3-30-07	31.5" – 37.5"	9"	30"	27.75" – 28.25"
4 STEP	STP-4-26-33	36.5" – 42.5"	8"	26"	23.75" – 24.25"
	STP-4-30-09	36.5" – 42.5"	8"	30"	27.75" – 28.25"

\* Please note: the step part number does not correspond with the width of the step.



Please review the Strut Assist Qualification Guide to determine the correct StepAbove® for your unit.





More Stable.  
More Secure.  
MORryde.



## No more bouncing in and out of your RV

- Lightweight
- Stable entry to and exit from your RV
- Stores securely right inside the door
- 500 lb weight capacity
- Adjustable feet accommodate uneven terrain



2017  
**PRODUCT  
YEAR**  
of the



## STEPABOVE® FIT CHART

	PART NUMBER *	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	—OR— DOOR WIDTH Size from Flange to Flange
<b>2 STEP</b>	STP-2-24-09H	25" – 29"	9"	24"	21.75" – 22.25"
	STP-2-27-01H	25" – 29"	9"	26" – 28"	23.75" – 26.25"
<b>3 STEP</b>	STP-3-24-30H	30" – 33.5"	8"	24"	21.75" – 22.25"
	STP-3-24-21H	34" – 36"	9"	24"	21.75" – 22.25"
	STP-3-27-02H	30" – 33.5"	8"	26" – 28"	23.75" – 26.25"
	STP-3-30-03H	30" – 33.5"	8"	30" – 32"	27.75" – 30.25"
	STP-3-27-05H	34" – 36"	9"	26" – 28"	23.75" – 26.25"
	STP-3-30-04H	34" – 36"	9"	30" – 32"	27.75" – 30.25"
<b>4 STEP</b>	STP-4-27-05H	36.5" – 42"	8"	26" – 28"	23.75" – 26.25"
	STP-4-30-03H	36.5" – 42"	8"	30"	27.75" – 28.25"
	STP-4-32-04H	36.5" – 42"	8"	30" – 32"	27.75" – 30.25"

\* Please note: the step part number does not correspond with the width of the step.



Please review the  
**StepAbove® Qualification  
Guide** to determine the  
correct StepAbove®  
for your unit.



**STORAGE BOX**  
SP54-099



**3 STEP HANDRAIL**  
STP214-029H

**4 STEP HANDRAIL**  
STP214-006H




# RUBBER PIN BOX\*



Leave rough towing behind with MORryde's revolutionary Pin Box System. Its advanced rubber shear spring works to absorb towing shock for more comfortable, stress-free travel.

## BETTER HANDLING & SMOOTHER TOWING


- Jerk-free starts and stops
- 3" fore/aft travel and 1.5" side-to-side travel
- Maintenance-free
- Reduces back-and-forth chucking and jerking
- Cushioned sensation over uneven roads
- Uses 100% natural rubber shear springs



Unique Rubber Shear Spring Absorbs Shock




To make things even smoother for you, our RPB System is available for installation in the aftermarket and installs in an hour on most 5th wheels. For more details, contact our parts department at 574-293-1581.



### Gooseneck Adaptor Kit\*

Used with a MORryde Rubber Pin Box when connecting to a gooseneck adaptor. One size fits all MORryde Rubber Pin Box models.

RPB77-006



### Pull Rite Adaptor Kit

Used with the Pull Rite Superglide hitch.

RPB77-001




# PIN BOX FIT CHART

Cross Reference Guide		Order according to GVWR of the trailer, not the GVWR of the pin box.*				MORryde Pin Box Rating
MFG	MODEL#	11,500 or less	11,501 - 14,000	14,001 - 18,000	18,001 & over	
Lippert	1621, SHD-TA			RPB72-1621SHD-TA-05	RPB72-1621SHD-TA-06	24k
Lippert	1621, HD, SHD	RPB72-1621HD-03	RPB72-1621HD-04	RPB72-1621HD-05	RPB72-1621SHD-06	23k
Lippert	1716	RPB72-1716-03	RPB72-1716-04	RPB72-1716-05		18k
Lippert	1116	RPB72-1116-03	RPB72-1116-04	RPB72-1116-05	RPB72-1116-06	19k
Lippert	0719	RPB72-0719-03	RPB72-0719-04	RPB72-0719-05		15.5k
Lippert	0316	RPB72-316-03	RPB72-316-04	RPB72-316-05	RPB72-316-06	CSA at 18k
Lippert	0115	RPB72-0115-03	RPB72-0115-04	RPB72-0115-05		16.4k
Leland	7920, 7921, 7925, 7926	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	RPB72-221002300-06	19k
Leland	7930	RPB72-7930-03				10k
Leland	7910	RPB72-7910-03	RPB72-7910-04	RPB72-7910-05		18k
Leland	7900	RPB72-7900-03	RPB72-7900-04	RPB72-7900-05		15k
Fabex	500	RPB72-500-03	RPB72-500-04	RPB72-500-05		15k
Fabex	503	RPB72-503-03	RPB72-503-04	RPB72-503-05		15k
Fabex	665	RPB72-665-03	RPB72-665-04	RPB72-665-05		15k
Fabex	765	RPB72-765-03	RPB72-765-04	RPB72-765-05	RPB72-765-06	21k
Fabex	770	RPB72-770-03	RPB72-770-04	RPB72-770-05	RPB72-770-06	21k
Fabex	520	RPB72-520-03	RPB72-520-04	RPB72-520-05		15k
Fabex	663	RPB72-663-03	RPB72-663-04	RPB72-663-05		15k
Fabex	730	RPB72-730-03	RPB72-730-04	RPB72-730-05	RPB72-730-06	21k
Fabex	300,314,316	RPB72-316-03	RPB72-316-04	RPB72-316-05		CSA at 18k
Fabex	315	RPB72-315-03	RPB72-315-04	RPB72-315-05		N/A
Fabex	330	RPB72-330-03	RPB72-330-04			13k
Fabex	560	RPB72-560-03	RPB72-560-04	RPB72-560-05		15k
Fabex	660	RPB72-660-03	RPB72-660-04	RPB72-660-05	RPB72-660-06	24k
Venture	Long	RPB72-VL-03	RPB72-VL-04	RPB72-VL-05		17k
Venture	Med	RPB72-VM-03	RPB72-VM-04	RPB72-VM-05		15k
Youngs Welding	Long	RPB72-YWL-03	RPB72-YWL-04	RPB72-YWL-05	RPB72-YWL-06	19.5k
Youngs Welding	Medium	RPB72-YWM-03	RPB72-YWM-04	RPB72-YWM-05	RPB72-YWM-06	19.5k
Youngs Welding	45 degree	RPB72-YW45-03	RPB72-YW45-04	RPB72-YW45-05		16k
Youngs Welding	6640-1	RPB72-6640-1-03	RPB72-6640-1-04			12k
Youngs Welding	52751	RPB72-52751-03	RPB72-52751-04	RPB72-52751-05		N/A
Youngs Welding	Short	RPB72-YW0-03	RPB72-YW0-04	RPB72-YW0-05		16.4k
RBW	7019	RPB72-7019-03				10k
RBW	7016-2P	RPB72-7016-03	RPB72-7016-04	RPB72-7016-05		15k
RBW	7027	RPB72-7027-03	RPB72-7027-04			12k
Atwood	AB-34 HD	RPB72-AB34-03	RPB72-AB34-04	RPB72-AB34-05		N/A
Atwood	AB-72	RPB72-AB72-03	RPB72-AB72-04	RPB72-AB72-05		18k
Dexter	221-0023-00	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	RPB72-221002300-06	19k
Dexter	221-0031	RPB72-2210031-03	RPB72-2210031-04	RPB72-2210031-05		16k
Dexter	221-0037	RPB72-2210037-03	RPB72-2210037-04	RPB72-2210037-05	RPB72-2210037-06	21k

## TO ORDER A PIN BOX SYSTEM, PLEASE IDENTIFY THE FOLLOWING:

- Part Number of the stock pin box (usually found on a label on the pin box)
- GVWR\* of the trailer: MORryde has a specific rubber spring for different weight ratings
- Trailer's loaded weight

**OR** If the stock part number is not available, determine the bolt pattern (A), width (B), and distance from center of king pin to center of first row of bolts (C), then visit [MORryde.com](http://MORryde.com) and search for the Rubber Pin Box identification guide to convert these measurements into a MORryde part number.



\* GVWR above are general guidelines and may not directly correlate to shear spring rating.



# SUSPENSION SYSTEMS

Protection from damaging road shock



## SRE4000 SUSPENSION

Designed for premium performance.

- Smoother towing than conventional leaf springs
- Provides 4" of suspension travel\*
- Protects from damaging road shock
- Easy bolt-on installation
- 3 year warranty
- Includes X-factor crossmember to reduce frame stress
- Utilizes rubber to cushion shock

**PREMIUM**  
*Performance*



	PART #	WHEEL BASE
TANDEM	SRE2-733X	33"
	SRE2-735X	35"
TRIPLE	SRE3-733X	33"
	SRE3-735X	35"

**UP TO 7,000 GAWR**

Use the **SRE4000** qualification guide to determine compatibility.



## CRE3000 SUSPENSION

Designed for towing improvement over the standard stock equalizer.

- Smoother towing than conventional leaf springs
- Provides 3" of suspension travel\*
- Protects from damaging road shock
- Unique travel slot for increased wheel travel
- Easy bolt-on installation
- 2 year warranty
- Utilizes rubber to cushion shock

**BEST in**  
*Class*



	PART #	WHEEL BASE
TANDEM	CRE2-33	33"
	CRE2-35	35"
TRIPLE	CRE3-33	33"
	CRE3-35	35"

**UP TO 8,000 GAWR**

Use the **CRE3000** qualification guide to determine compatibility.



\* Provided suspension travel with Leaf Springs at a 2g impact.





## INDEPENDENT SUSPENSION

Designed for premium performance, and used by mid and high-end 5th wheel and travel trailer builders.

- Superior towing smoothness
- Improved towability & handling
- Best protection of trailer, components, & contents from damaging road shock
- Beam assembly allows maximum wheel travel, which significantly smooths the trailer's passage over a rough road surface.

Contact the Parts Department at 574-293-1581 for a list of qualified installation facilities.



## HEAVY-DUTY SHACKLE

The heavy-duty shackle kit is an excellent upgrade for your running gear.

- Thicker shackles for added strength
- Bronze bushings for more durability
- Greasable bolts for improved maintenance
- Complete peace of mind
- Lock nuts to ensure security

Order kit according to your current suspension system:


Part Number  
Standard  
Frame Hanger

Part Number  
OEM Correct  
Track Hanger

MORryde LRE	tandem	LRE12-001	LRE12-016
	triple	LRE12-004	LRE12-017
MORryde <b>SRE4000</b>	tandem	UO12-016	UO12-029
	triple	SRE12-001	SRE12-002
MORryde <b>CRE3000</b> and Stock or Equaflex with 2-1/4" shackles	tandem	UO12-016	UO12-029
	triple	UO12-023	UO12-030
Stock or Equaflex with 3-1/8" shackles	tandem	UO12-021	UO12-031
	triple	UO12-024	UO12-032

## X-FACTOR CROSSMEMBER

- Designed to greatly reduce frame stress
- Provides added lateral strength
- Uses high-strength low-alloy steel
- Adjustable to fit different frame widths
- Easy installation
- No welding necessary



## X-FACTOR PERFORMANCE CROSSMEMBERS\*

Part Number	Description
RE21-004	Crossmember for MORryde LRE, RE & TRE suspensions
UO21-003	Crossmembers for SRE, CRE, stock & other equalizers

\* Only one crossmember per kit. Additional crossmembers are available for purchase.



# TV MOUNTS

Our steel TV mounts are well known for rugged quality and sleek functionality. Perfect for recreational vehicles, hospitality suites, and home patios.

## BASE MOUNTS



### SLIDE OUT

Designed to swivel and slide out, this bracket is perfect for installation in a cabinet or corner.



- Slides out 7"
- Swivels
- Tilts 0 -10.5°
- Adjust for TV height
- Up to 200 x 200 VESA

#### DIMENSIONS:

6"W x 17"H (tall) or  
12.5"H (short) x 15.8"D

50lb

TV40-001H (TALL)  
UP TO 55" TV

TV40-001H-S (SHORT)  
UP TO 32" TV

### BASE OR CEILING

This mount is excellent for under-cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Swivel and tilt
- Up to 100 x 100 VESA
- Up to 28" TV
- Requires reinforced structure when used as a ceiling mount

#### DIMENSIONS:

6.5"W x 11.5"H or  
4.5"D

25lb

TV1-012H

### RIGID ADJUSTABLE

This low profile TV mount with adjustable mounting height is perfect for your new flat screen. Easy to install and the hardware is included.



- Adjust for TV height
- Up to 200 x 200 VESA
- Up to 40" TV
- Base plate faces toward the front

TV1-003H

#### DIMENSIONS:

8.9"W x 12.4"H (min) or  
17.6H (max) x 6"D

50lb

### RIGID

The different height positions allow you to adjust for TV height and viewing angle. It mounts to a horizontal surface, counter, or RV cabinet and no assembly required.



- Adjust for TV height
- Up to 200 x 200 VESA
- Up to 50" TV
- Base plate faces toward the back

TV1-009H


#### DIMENSIONS:

8.9"W x 15"H (min) or  
20.15"H (max) x 8"D

50lb




# WALL MOUNTS



## PULL OUT

The unique double arm swiveling function allows for the TV's angle to be changed from side to side. It simply pushes back into place and is held down with magnets to keep your TV secure.



- Low profile when closed
- Pulls straight out
- Great for exterior entertainment centers
- Swivels for a variety of viewing positions
- Locks in place for safe travel
- Up to 400x400 VESA

TV1-084H

### DIMENSIONS:

22.6"W x 17"H x 2.7"D (closed)  
or 20"D (extended)



## DROP DOWN

The Drop Down Wall Mount moves out from the wall and drops down for a better viewing angle. The ability to drop your TV mount down allows you to reduce the glare that is all too common.



- Low profile when closed
- Pulls straight out
- Swivels for a variety of viewing positions
- Locks in place for safe travel
- 100x100 and 200x200 VESA

TV56-129H

### WEIGHT CAPACITY:

12lbs (min) - 20lbs (max)

### DIMENSIONS:

Up position: 13.3"W x 17.6"H x 5.2"D  
Down position: 13.3"W x 29"H x 8.5"D



## Which TV Mount is best for your application?

### What is the VESA hole pattern of your TV or monitor?


(Video electronics standards association)

MORryde mounts are available in several VESA patterns\*:

75 x 75	300 x 300
100 x 100	400 x 400
200 x 200	

### How much does the TV or monitor weigh?

MORryde mounts are available in several weight capacities:




### Where will the TV be installed?

Range of motion desired:

- **SWIVEL** left to right
- **SLIDING** in & out
- **TILT** up & down
- **FLIP** up or down

## DROP DOWN MOUNT ADAPTOR KIT

Attach the Drop Down Wall Mount to a horizontal surface with this adaptor kit.




TV54-021

\* Adaptor plates are available for larger patterns. Contact MORryde for more information, 574-293-1581.



# TV MOUNTS

## WALL MOUNTS



### SWINGING

This unique design offers a full range of viewing options. Double joint arm extends 18" and swings up to 180°. Locks in for safe travel.



- Tilt & Swivel Adjustment
- Tilts 0-10.5°
- TV Swivels up to 350°
- Up to 200x200 VESA

TV1-021H

35lb

TV1-006H

50lb

#### DIMENSIONS:

11.25"W x 11"H x 3.28"D (closed)  
or 18"D (open)



- Up to 100 x 100 VESA

TV1-025H

25lb

#### DIMENSIONS:

10.5"W x 8.9"H x 3.45"D (closed)  
or 18"D (open)



Extends  
25"

- Extends 7" farther than our other Swinging Wall Mounts
- Strap release
- 180° of swing
- Swivel and tilt
- Locks in for safe travel
- Up to 200 x 200 VESA

#### DIMENSIONS:


14.8"W x 10.5"H x 3.3"D (closed)  
or 25"D (open)

TV1-087H

25lb

### SNAP-IN

The newest line of MORryde TV mounts allow for easy removal and reattachment of a flat screen TV without the hassle of unscrewing the TV from the mount.



#### EXTEND & SWIVEL

200 x 200 VESA

TV10-E-35H

35lb

#### DIMENSIONS:

10.5"W x 8.9"H x 5.3"D (min)  
15.3"D (max)



#### RIGID

200 x 200 VESA

TV10-F-35H

35lb

#### DIMENSIONS:

9.8"W x 8.8"H x 2"D



#### SMALL RIGID

100 x 100 VESA

TV10-051H

25lb

#### DIMENSIONS:

5.8"W x 5"H x 1.75"D



#### LARGE RIGID


400 x 400 VESA

TV10-048H

35lb

#### DIMENSIONS:

18.5"W x 16.5"H x 1.1"D



#### SWIVEL

200 x 200 VESA

TV10-S-35H

35lb

#### DIMENSIONS:

9.8"W x 8.5"H x 3.8"D



## SWIVEL OR RIGID

This mount is excellent for under-cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Low profile
- Up to 200 x 200 VESA
- Single stud install
- Swivels up to  $\pm 15^\circ$

TV1-001H (Swivel)

TV1-002H (Rigid)



### DIMENSIONS:

8.75"W x 11.3"H x 4"D (swivel)  
or 1.1"D (rigid)

## PORTABLE MOUNTING PLATE

Place multiple docking plates anywhere for entertainment where you want it. Up to 100 x 100 VESA and single stud installation.



### SWIVEL & TILT

TV5-002H



### DIMENSIONS:

5"W x 5.25"H x 2.5"D



### EXTENSION w/ SWIVEL & TILT

TV5-003H



### DIMENSIONS:

5"W x 6.75"H x 9"D



### LOW PROFILE RIGID

TV5-004H



### DIMENSIONS:

4.75"W x 4.25"H x 0.75"D



### RIGID & SWIVEL EXTENSION PORTABLE


TV5-005H



### DIMENSIONS:

4.75"W x 6.5"H x 10.5"D

## HORIZONTAL SLIDING MOUNTS



### ADJUSTABLE BAGGAGE COMPARTMENT MOUNT


- 200 x 200 VESA
- Extends 20.5"
- Pivots  $120^\circ$
- Space saving

TV40-002H



### DIMENSIONS:

24"W (min) 60"W (max) x 13"H  
x 6.5"D (min) or 9.5"D (max)



### SLIDES OUT


- 200 x 200 VESA
- Extends 20.5"
- Pivots  $180^\circ$
- Space saving

TV40-011H



### DIMENSIONS:

24"W (min) 60"W (max) x 13"H  
x 4.6"D



Brackets extend an extra 3" to clear the cargo bay lip

TV40-002H



Horizontal Mounts - Retracted




# TV MOUNTS

## CEILING MOUNTS



### DROP DOWN

The drop down ceiling mount saves space and allows you to keep your TV out of the way until it is needed. The friction pivot lowers the TV slowly and allows you to position it at many viewing angles. This mount is perfect for storing your TV in tight spaces.



#### DIMENSIONS:

8.6"W x 14.77"H x 5.58"D  
(in down position)

- Swings down from ceiling
- Friction pivot allows for a variety of viewing angles
- Up to 24" TV
- 75 x 75, 100 x 100, 100 x 200, 200 x 200 VESA

TV1-080H

25lb

### FLIP DOWN

This mount is excellent for under-cabinet installation or reinforced ceilings. Flip down while viewing and flip up to store it out of the way.



#### DIMENSIONS:

6.5"W x 12.8"H x 8"D  
(in down position)

- Swings up & out of the way
- Locks in for safe travel
- Swivel & tilt
- Up to 24" TV
- 100 x 100 VESA

TV56-010H

25lb

### SLIDE-OUT & FLIP DOWN

The TV40-010H mounts to a horizontal surface or ceiling, most commonly inside a basement cargo bay. It can then slide out of the compartment, flip down, and swivel.



#### DIMENSIONS:

8"W x 7.5"H x 21"D (min)  
38"D (max)

TV40-010H



35lb

- Ideal for baggage compartments
- Slides out 17"
- Swivel & Tilt
- 200 x 200 VESA

## ADAPTOR PLATES

#### VESA

200 x 400  
300 x 300  
400 x 400




TV54-014H

Two Configurations Available

#### VESA

100 x 200  
200 x 200



TV54-009H

#### VESA

300 x 300  
300 x 400  
400 x 400



TV1-008H



# SPECIALTY MOUNTS

## EXTERIOR ENTERTAINMENT CENTER




(TV and speakers not included)

Who says entertainment was only meant for indoors? Take relaxation to the next level with MORryde's Exterior Entertainment Center. Enjoy the sights and sounds of your favorite movie all while in the great outdoors.

- Fully assembled
- Includes high-quality aluminum door & frame
- Slim profile
- 100x100, 100x200, 200x200, 200x400 VESA

EC56-032BLK



## MOTORIZED VERTICAL MOUNT




This sleek design allows for installation behind a fireplace, book shelf, couch, or any other furniture. No bulky TV table.


- Hides behind any furniture
- Requires 12 Volt Power
- Self-contained motor
- Up to 200 x 200 VESA

### DIMENSIONS:


18.8"W x 3.75"D  
(Height and lift height vary)



TV25-2823H



TV25-3126H



TV25-3429H

Remote Available - #UO137-022  
(sold separately, lift includes momentary switch)

(TV not included)



# SLIDING TRAYS

Variety of storage solutions makes it easier to reach, organize, and stow your gear



## CARGO TRAYS\*

- Fully assembled
- Finished carpeted flooring
- No measuring or cutting the floor
- Ready to install in minutes
- 800lb capacity
- 60% extension
- Durable powder coat
- 90" trays slide out from both sides of a unit

	36" L	48" L	60" L	72" L	90" L
20" W	CTG60-2036W	CTG60-2048W	CTG60-2060W	CTG60-2072W	CTG60-2090W
26" W	CTG60-2636W	CTG60-2648W	CTG60-2660W	CTG60-2672W	CTG60-2690W
29" W	CTG60-2936W	CTG60-2948W	CTG60-2960W	CTG60-2972W	CTG60-2990W
33" W	CTG60-3336W	CTG60-3348W	CTG60-3360W	CTG60-3372W	CTG60-3390W
36" W	CTG60-3636W	CTG60-3648W	CTG60-3660W	CTG60-3672W	CTG60-3690W
39" W	CTG60-3936W	CTG60-3948W	CTG60-3960W	CTG60-3972W	CTG60-3990W
42" W	CTG60-4236W	CTG60-4248W	CTG60-4260W	CTG60-4272W	CTG60-4290W
48" W	CTG60-4836W	CTG60-4848W	CTG60-4860W	CTG60-4872W	CTG60-4890W
52" W	CTG60-5236W	CTG60-5248W	CTG60-5260W	CTG60-5272W	CTG60-5290W

\* Standard cargo trays have a lip clearance of 1.6".

SIZE	PART#	WEIGHT CAP.
20"W X 72"L	CTG80-2072-2DW	500lb
26"W X 72"L	CTG80-2672-2DW	500lb
29"W X 72"L	CTG80-2972-2DW	500lb
33"W X 72"L	CTG80-3372-2DW	500lb
36"W X 72"L	CTG80-3672-2DW	500lb
39"W X 72"L	CTG80-3972-2DW	500lb
42"W X 72"L	CTG80-4272-2DW	500lb
48"W X 72"L	CTG80-4872-2DW	500lb
52"W X 72"L	CTG80-5272-2DW	500lb




## 72" CARGO SLIDES

with **80% EXTENSION**

Trays slide out from both sides of unit.





## HIDDEN DROP DOWN TRAY

- Installed in the recess at the top of the storage compartment
- Stays hidden while tray is closed
- Glides down and out to easily access contents and slides back into place out of the way
- 70% Extension
- Durable powder coat

### DIMENSIONS

26.3" w x 16.1" l x 2.7" h x 4.6" d

SP56-203

Adjustable brackets allow hidden tray to fit in the under floor framing with spacing between 20"L (min) - 26"L (max)



## FREEZER TRAYS

These 200% extension slides are great for your freezer, refrigerator, or any cargo that you would like to access past the unit's slideout.

- 225 lb weight capacity
- Ready to install in minutes
- Durable powder coat

### DIMENSIONS (w x d x h)

**SP56-115** 37.6" x 21.6" x 5" (outside)  
Front Pull 31.42" x 19.7" x 2.5" (inside)

**SP56-132** 18" x 26.5" x 6" (outside)  
Side Pull 14" x 24.8" x 2.5" (inside)

## UTILITY TRAYS



- Conveniently stores common RV generators
- Durable powder coat
- 100% extension
- Roller bearing slides
- No assembly required

### DIMENSIONS (w x d x h)

### WEIGHT CAPACITY

**SP60-041** 14" x 14" x 2.75" (inside)  
16.25" x 15.75" x 5" (outside) 250 lb

**SP60-042** 14" x 21" x 2.75" (inside)  
16.25" x 22.75" x 5" (outside) 250 lb

**SP60-043** 21" x 14" x 2.75" (inside)  
23.25" x 15.75" x 5" (outside) 250 lb

**SP60-044** 24" x 24" x 2.75" (inside)  
26.25" x 25.75" x 5" (outside) 300 lb

**SP60-028** 20.75" x 11" x 2.5" (inside)  
23.5" x 12.5" x 4.5" (outside) 250 lb

**SP60-047** 20.25" x 17.5" x 2.75" (inside)  
22.75" x 19.25" x 3.25" (outside) 250 lb

**SP60-081\*\*** 21" x 13.75" x 2.75" (inside)  
23" x 15.5" x 5" (outside) 150 lb

## LP TRAYS



- Conveniently secures up to 2 LP tanks
- Hardware for tank attachment included
- Durable powder coat
- 175 lb weight capacity
- 70% extension

### DIMENSIONS\* (w x d x h)

**SP62-008** 26.2" x 13.7" x 3.5"

**SP62-009** 10.25" x 26.5" x 2.3"

\* Rod included to hold tanks down is 30" long. Slide raises tanks by 1.42"

\*\* Stainless steel tray.



# EASY REEL™ SPOOLER

Easily store your 30 or 50 amp power cord



## EASY REEL SPOOLER

The Easy Reel™ delivers the simplest, smoothest, and most convenient way to effectively store your power cord.

- Neatly stores your 30 or 50 amp power cord
- Maximize storage space
- Smooth, easy reel operation means no more strain
- Sleek design allows for efficient cord storage
- Handle can be attached to the left or right side
- Installs easily with just a few screws
- Rugged steel construction
- Powder coat finish



### TALL

#### DIMENSIONS

7.6" W x 17.6" H x 21" D  
Stores up to 50'

REEL56-001H




### SHORT

#### DIMENSIONS

13.5" W x 14" H x 17.4" D  
Stores up to 50'

REEL56-004H



### ECONOMY

#### DIMENSIONS

14.3" W x 13.4" H x 12.8" D  
Stores up to 30'

REEL56-009H



# SPECIALTY PRODUCTS

Our passion for solving problems  
has led to many unique products



## THE CHAIR BUDDY™

The Chair Buddy™ eliminates bulky, awkward straps and securely holds your dinette chairs in place.

- Conveniently secures dinette chairs
- Prevents interior damage
- Adaptor available for tables without center post (Sold separately)
- Quickly folds up out of the way when chairs are needed
- Installs in minutes

### ADAPTOR PLATE



If the table does not have a center post, the adaptor plate can be purchased to accommodate a Chair Buddy™.

Chair Buddy™ — CB56-001H  
Adaptor Plate — CB56-002H



## PATIO RAIL TABLE

The Patio Rail table is the perfect addition to the MORryde Rear Exit Patio System.

- Durable and space-saving table
- Latches directly on to your corner railing with two mounting brackets.
- Easy to remove. Simply unlatch the brackets and store the table
- Available for curb or road side



Curb Side — SP56-320-CS  
Road Side — SP56-320-RS



# patioeX

by MORryde

More room. More comfort. More adventure.

Extended Living  
Space for Your  
Outdoor Adventures



Revolutionary Airbeam®  
tent design, by Vango.  
The European leaders  
in Air Tent technology.


- Expanded living space
- Protection from wind, rain, sun, and bugs
- Zippered privacy panels
- Quick, easy set up - no drilling required
- Easily stores in a convenient, lightweight storage bag

THP-EX1



# JEEP ACCESSORIES

REINFORCEMENT • MOUNTS • STORAGE



Our heavy-duty Jeep Accessories let adventure seekers play a little harder and a lot longer.

## MOUNTS

- Side Mount
- Rear Mount
- Rotopax Hinge Mount
- Antenna Mount
- Ammo Can Mount

## REINFORCEMENT

- Heavy-Duty Tailgate Hinges
- Heavy-Duty Door Hinges
- Spare Tire Carrier
- Off-Road Jack Carrier
- Tailgate Reinforcement

## STORAGE

### STOREGATE

Trunk storage solution that mounts to the inside of your tailgate.

### OVERLAND RACK

Perfect for carrying gear on overland and off-road expeditions.

### TRAIL KITCHEN

Conveniently store your refrigerator and increase your countertop space.



To view our full line of Jeep accessories call us at **574-293-1581** or email us at **sales@MORryde.com** and request a MORryde Jeep catalog.

\*Rotopax shown not included.

**MORryde**

**HEAVY. DUTY. ADVENTURE.**





At MORryde, we have a passion for solving problems. Whether we're fabricating custom solutions, modifying a commercial chassis, or creating our innovative products, we answer to a wide range of markets and deliver on a variety of needs. At MORryde, it's simply about doing MORE for our customers, and it doesn't stop at the sale. We stand behind our products, believing in quality first, service always. No matter the issue, we'll be the first to respond and the last to be satisfied. In short, we build better — together.



Above. Beyond. Always.

1966 Sterling Avenue • Elkhart, Indiana 46516

574-293-1581 • [www.MORryde.com](http://www.MORryde.com)



We reserve the right to make changes or additions to the information and data provided, such as technical specifications, product numbers, price, design of products, without prior notice. 2/2019