

2nd Generation

STEP ABOVE[®]

by MORryde



INSTALLATION INSTRUCTIONS



Above. Beyond. Always.

STEPABOVE

INSTALLATION INSTRUCTIONS



BEFORE YOU INSTALL YOUR STEPS

Make sure that you've reviewed the **StepAbove Qualification Guide** to determine the correct StepAbove for your unit. There is a chance the step won't fit if the correct measurements weren't taken before purchasing.

Which Hinge Plate model do you have?




There are two potential options of the hinge plate for your StepAbove. Refer to the images on the next page to determine which hinge you have on your step. Follow the instructions that correspond to the hinge version you have.




Above. Beyond. Always.



HINGE 1



HINGE 2



HINGE 1


STEPABOVE

INSTALLATION INSTRUCTIONS

Please take a moment to review the **StepAbove® Qualification Guide** before proceeding with these Installation Instructions.

STEP 1


Remove the step transition strip between the threshold of the existing door and the floor.



STEP 3

Lift the StepAbove® and lock into place. Ensure that the latches have engaged with the flange of the door jamb. The latches may need to be adjusted in or out; this can be accomplished by loosening the bolts and sliding it into place.


NOTE: Some doors may require the interior wood or trim work to be notched. For assistance with any modification, please call our Parts Department at 574-293-1581.



STEP 2


Place the StepAbove® in the center of the door opening. Adjust the steps until the hinge plate is centered.

Hinge plate



STEP 4


Slide the front of the hinge plate up to the inside of the threshold so that it sits flush.



Above. Beyond. Always.

STEP 5

With the StepAbove® located in the center of the door opening, measure the distance between the inside lip on the door jamb and the outside edge of the step. The clearance on each side should be at least 1/8".



STEP 8

Raise the StepAbove® into the locked position and secure the hinge plate with the remaining screws.

NOTE: The legs of the StepAbove® are adjustable and may need to be retracted in order to fit inside the door opening.



STEP 6

Mount the (2) outermost screws onto the StepAbove® hinge plate.



STEP 7

Lower the steps and then shut both the screen door and the outside door to ensure they close properly with the StepAbove® in the lowered position.



STEP 9

Make sure the StepAbove® operates smoothly and aligns correctly.



HINGE 2


STEPABOVE

INSTALLATION INSTRUCTIONS

Please take a moment to review the **StepAbove® Qualification Guide** before proceeding with these Installation Instructions.


STEP 1

Remove the step transition strip between the threshold of the existing door and the floor.




STEP 3

With the StepAbove® centered and flush against the threshold, attach one screw in each of the top corner holes where the plate is notched.



STEP 2


With the StepAbove® in the downward position, center it in the door opening. Adjust the steps until the hinge plate is centered and flush against the threshold.



STEP 4

Lift the StepAbove® and lock into place. Ensure that the latches have engaged with the flange of the door jamb. The latches may need to be adjusted in or out; this can be accomplished by loosening the bolts and sliding it into place.

NOTE: Some doors may require the interior wood or trim work to be notched. For assistance with any modification, please call our Parts Department at 574-293-1581.



Above. Beyond. Always.

STEP 5


Lower the steps and then shut both the screen door and the outside door to ensure they close properly with the StepAbove® in the lowered position.



STEP 6

Raise the StepAbove® into the locked position and secure the hinge plate with the (6) remaining screws. There will be a gap between the hinge plate and the threshold.

NOTE: The legs of the StepAbove® are adjustable and may need to be retracted in order to fit inside the door opening.



STEP 7

Make sure the StepAbove® operates smoothly and aligns correctly.



At MORryde, we have a passion for solving problems. Whether we're fabricating custom solutions, modifying a commercial chassis, or creating our innovative products, we answer to a wide range of markets and deliver on a variety of needs. At MORryde, it's simply about doing MORE for our customers, and it doesn't stop at the sale. We stand behind our products, believing in quality first, service always. No matter the issue, we'll be the first to respond and the last to be satisfied. In short, we build better — together.



StepAbove Gen 2 | VERSION 3



Above. Beyond. Always.

574.293.1581 • www.MORryde.com •    