



Above. Beyond. Always.

3-9 STEPABOVE® PRODUCTS

StepAbove Strut Assist Step Quick Connect Step Airstream® Step Flip Tread Step Patio Step

10-13 STEPMATES

Safe-T-Rail Latch Extender Handrail Storage Box Motion Activated Lights Removable Hinge Plate Step Latch Step Grab Handle

14-15 PIN BOX

Rubber Pin Box Cord Keeper

16-17 SUSPENSION SYSTEMS

AllTrek Suspension CRE Suspension Independent Suspension Heavy-Duty Shackles X-Factor Crossmember

1 STABILIZERS

5th Wheel Stabilizer Scissor Jack Stabilizer Hitch Mount Stabilizer

19 POWER CORD REELS

Tall Reel Economy Reel Motorized Reel

20-21 SLIDING TRAYS

Cargo Trays Freezer Tray Utility Tray

22-26 TV MOUNTS

Base Mounts Wall Mounts Ceiling Mounts

27 CHAIR BUDDY

CONTENTS



More Stable. More Secure. MORryde.



retract with a push of a button.



STEPABOVE®

Upgrade your trailer or 5th wheel with our innovative StepAbove step system to give you bounce-free, wobble-free stability. With adjustable feet, rough terrain is no problem for your StepAbove. Easily store and lock your StepAbove into your door entrance.

м ш

 \supset

ш

- Lightweight
- Stable entry to and exit from your RV
- Wide top step
- Quick-release leg adjustment
- Gradual step slope for easier usage
- Easy removal in tight spaces







INDUSTRY-LEADING 5001b WEIGHT CAPACITY







BEFORE YOU ORDER A STEP

review the **StepAbove Qualification Guide** to determine the correct
StepAbove for your unit.

Visit MORryde.com for details.

STEPABOVE **FIT CHART**

	PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	OR- Size from Flange to Flange
O CTED	STP-201	25" – 29.5"	9"	24"	21.75" – 22.25"
2 STEP	STP-202	25" – 29.5"	9"	26" – 28"	23.75" – 26.25"
	STP-203	34" – 37"	9"	24"	21.75" – 22.25"
	STP-204	30" – 33.5"	8"	24"	21.75" – 22.25"
3 STEP	STP-206	30" – 33.5"	8"	26" – 28"	23.75" – 26.25"
	STP-207	34" – 37"	9"	26" – 28"	23.75" – 26.25"
	STP-208	30" – 33.5"	8"	30" – 32"	27.75" – 30.25"
	STP-209	34" – 37"	9"	30" – 32"	27.75" – 30.25"
4 STEP	STP-212	37.5" – 42"	8"	26" – 28"	23.75" – 26.25"
4 JIEP	STP-213	37.5" – 42"	8"	30" – 32"	27.75" – 30.25"

STRUT ASSIST STEP

Easily operate your StepAbove step system for your travel trailer or 5th wheel with our innovative strut assist. The self-contained, ground-stable entry system provides sure footing when you enter or exit your RV.

EATURES

- Gas struts create lightweight operation
- Easily lift and lower design
- Convenient storage
- Industry-leading 500 lb weight capacity













STRUT ASSIST FIT CHART

	PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH _ Size from Factory Label	OR— DOOR WIDTH Size from Flange to Flange
3 STEP	STP-205	31.5" – 37"	9"	26"	23.75" – 24.25"
	STP-210	31.5" – 37"	9"	30"	27.75" – 28.25"
4 STEP	STP-211	37.5" – 42"	8"	26"	23.75" – 24.25"
	STP-214	37.5" – 42"	8"	30"	27.75" – 28.25"
					SHOULD SHOULD AND CONTINUE OF THE PARTY OF T





BEFORE YOU ORDER
A STEP review the

Strut Assist Qualification

Guide to determine the correct StepAbove for your unit.

QUICK CONNECT STEP

Add sure footing into and out of your motorhome with ground-stable, removable Quick Connect RV entry steps. Easily detach your step system with quick-release latches. Even on rough terrain, adjustable feet give you bounce-free, wobble-free stability.

• Lightweight, removable design

• Durable construction

• Quick-release paddle latches

• Adjustable feet

Industry-leading 500 lb weight capacity





QUICK CONNECT FIT CHART

	PART NUMBER	STEP HEIGHT	STEP RISE	
2 STEP	STP-221	21.5" – 27.5"	9"	
3 STEP	STP-222	27.5" – 36"	8"	
4 STEP	STP-223	35.5" – 44"	8"	



BEFORE YOU ORDER

A STEP review the

Quick-release latch

Quick Connect Step Pre-Installation Instructions

to determine the correct Quick Connect Step for your unit.

Give yourself sure footing into and out of your Airstream® with a StepAbove RV step system. Our innovative 2-step design fits your threshold to give you bounce-free, wobble-free stability. Adjustable feet mean rough terrain is no problem for your StepAbove. The lightweight design opens easily and stores conveniently in your door entrance.

• Retro 2-step design for Airstream®

- Lightweight pull-down design
- Durable construction
- Stores securely inside doorway
- · Adjustable feet

S

С Ш

EA

• Industry-leading 500 lb weight capacity









STP-216



BEFORE YOU ORDER

A STEP review the Airstream®
Qualification Guide to
determine if the step will work
with your unit.



These sleek steps offer the same stability as our standard StepAbove. To ensure your unit stays clean, the treads of this step easily flip up to remove dust and dirt before they fold up into your doorway. Flip Tread Steps are ideal for normal entry doors as well as floor plans with interior steps that protrude into the doorway.

- Lightweight pull-down design
- Durable construction
- Secure storage inside door entrance
- Adjustable feet

ഗ

- Industry-leading 500 lb weight capacity
- Collapsible treads allow for easy cleaning







3 Step - STP-217 4 Step - STP-215



Please note: Handrail not available for this model.

BEFORE YOU ORDER A FLIP TREAD STEP review the **qualifier** to determine the best model for your unit.

and quantities to determine the best modernor your distance.



PATIO STEP

MORryde's ground stable patio steps offer added stability and safety as you enter and exit your rear or side patio.

- Easily attach and detach
- Durable construction
- Secure storage inside door entrance
- Adjustable feet
- Industry-leading 500 lb weight capacity







Please call MORryde to determine the best step for your unit.



STEPMates

Navigating Your RV Steps Made Easy

Products designed to work with your steps for added safety, storage and convenience.

SAFE-T-RAIL

Entering and exiting your RV is now easier and safer with MORryde's Safe-T-Rail.

- Residential-style safety for your RV
- Telescopic rail extends 42.5" from the RV wall
- Provides secure, continuous rail surface
- · Easy and quick to install
- Magnetic lock securely holds rail in place during travel



S

ш

œ

 \triangleleft

ш Ш

> **BEFORE YOU ORDER** A SAFE-T-RAIL review the qualifier to determine if it will work for your unit.









SP56-469

LATCH EXTENDER

Offers additional leverage and stability when getting into your RV.

• Great for kids and seniors

- Attaches to door lock
- Longer handle = greater gripping surface
- Easier to reach and open door without going up and down the stairs

BEFORE YOU ORDER THE LATCH EXTENDER review the qualifier to determine if it will work for your unit.









SP54-200

HANDRAIL

Get added stability with the StepAbove handrail. Available for three and four step models.

- · Lightweight design
- Left-side attachment
- Folds into entrance doorway
- Durable construction
- Black powder coated finish
- Simple bolt-on installation

Designed for 1ST GENERATION STEPABOVE

3 Step STP214-029H 4 Step

STP214-006H

Designed for **2ND GENERATION STEP**ABOVE

3 Step

ш œ

⋖

ш

4 Step STP214-121H

STP214-120H



36" of clearance inside the doorway is needed for any handrail to be added to your RV.

If you are unsure about which StepAbove model you own, please call the parts department at 574-293-1581.

STORAGE BOX

A perfect storage solution that replaces the stock steps after a StepAbove is installed.

- Lockable door to secure your items
- 27 3/4" wide, 10" tall and 10.5" deep, approximately 1.5 cubic feet of space
- The box is made of durable steel with a lockable aluminum door
- Durable powder coated finish
- Fits most step mounts
- Simple bolt-on installation





BEFORE YOU ORDER A

STORAGE BOX review the qualifier to determine if the Storage Box will work for your unit.





MOTION ACTIVATED STEP LIGHTS

Illuminate your path with bright LEDs that attach to the bottom of the StepAbove or Lippert[™] Solid Step. Two lights included per kit.

- Sleek, low profile design
- Conveniently illuminates your steps for a safer entry and exit
- · Magnetic attachment for easy removal

ഗ

œ

 \supseteq

⋖ ш

- Daylight sensor extends life of batteries
- LED lights offer a bright path
- On/Off/Auto switch
- Up to 48 hours of consecutive use



Removable Magnetic Mounting Strip



Battery Box

STP54-032

REMOVABLE HINGE PLATE*


Convert standard StepAbove steps to a quick-release style and easily remove them when a unit is in storage or parked in tight spaces.

26" Door STP54-030

30" & 32" Doors STP54-031



* The Removable Hinge Plate is designed for the first generation StepAbove units. The quick-release style comes standard on the 2nd Generation StepAbove units.



STEP LATCH

Add a lockable feature to the Strut Assist StepAbove with a Step Latch.

FEATURES

- Provides additional security while stored in doorway
- Easy-to-use pull latch mechanism
- Simple bolt-on installation





STEP GRAB HANDLE Create extra stability when lowering the

StepAbove by adding a Grab Handle.


- Provides additional ease when lowering
- Attaches underneath step tread
- Simple bolt-on installation






- · Reduces back-and-forth chucking and jerking
- Cushioned sensation over uneven roads
- Uses 100% natural rubber shear springs






TTER HANDLING & SMOOTHER TOWING

To make things even smoother for you, our RPB System is available for aftermarket installation and installs in an hour on most 5th wheels. For more details, contact our Parts Department at 574-293-1581.



Gooseneck/Andersen Hitch **Reinforcement Adapter Kit***

Used with a MORryde Rubber Pin Box when connecting to a gooseneck adapter or Andersen hitch. One size fits all MORryde Rubber Pin Box models.



Pull Rite Adapter Kit

Used with the Pull Rite SuperGlide hitch.

RPB77-001

RPB77-006

^{*} Gooseneck sold separately. Installation of a gooseneck adapter will void the Rubber Pin Box warranty.

RUBBER PIN BOX

RUBBER PIN BOX FIT CHART

Cross Refere	nce Guide	Order according to GVWR of the trailer, not the GVW of the pin box.*				
MFG	MODEL#	11,500 or less	11,501 - 14,000	14,001 - 18,000	18,001 & over	Pin Box Rating
Lippert	1621, SHD-TA	N/A	N/A	RPB72-1621SHD-TA-05	RPB72-1621SHD-TA-06	24k
Lippert	1621HD	RPB72-1621HD-03	RPB72-1621HD-04	RPB72-1621HD-05	N/A	21k
Lippert	1621SHD	N/A	N/A	N/A	RPB72-1621SHD-06	23k
Lippert	1116	RPB72-1116-03	RPB72-1116-04	RPB72-1116-05	RPB72-1116-06	19k
Lippert	1716	RPB72-1716-03	RPB72-1716-04	RPB72-1716-05	N/A	18k
Lippert	Rhino	RPB77-FD-03	RPB77-FD-04	RPB77-FD-05	RPB77-FD-06	24k
Leland	7900	RPB72-7900-03	RPB72-7900-04	RPB72-7900-05	N/A	15k
Leland	7920, 7921	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	N/A	19k
Dexter	221-0023-00	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	RPB72-221002300-06	19k
Dexter	221-0031	RPB72-2210031-03	RPB72-2210031-04	RPB72-2210031-05	N/A	16k







To order a pin box system, please identify the following:

OR

- Model Number of the stock pin box (usually found on a label on the pin box)
- GVWR* of the trailer: MORryde has a specific rubber spring for different weight ratings

If the stock part number is not available:

- Determine the bolt pattern (A),
- Measure the width (B)
- Measure the distance from center of king pin to center of first row of bolts (C)
- Visit MORryde.com and search for the Rubber Pin Box identification guide to convert these measurements into a MORryde part number.



C*RD KEEPER

Easily stores your 7-way power cord

- Great for travel trailers and 5th wheels
- Safe, secure cord storage
- Stores outside the Pin Box to discourage animals from building nests
- · Helps prevent wire cuts and fraying
- · Securely keeps cord off the ground
- Strong magnetic application



SYSTEMS

Enjoy a smooth towing experience.



ALLTREK 4000

Designed to protect your trailer all the time, wherever you tow.

- Provides 4" of suspension travel
- Bolt-on, no crossmember required
- Over 40% more rubber for smoother, more comfortable towing
- Protects trailer from damaging road shock
- 3 year warranty
- The most rigorously-tested MORryde equalizer suspension to date



Use the **AllTrek** 4000 qualification guide to determine compatibility.



	PART #	WHEEL BASE
DEM	TG2-33	33"
TANDEM	TG2-35	35"
RIPLE	TG3-33H	33"
TRI	TG3-35H	35"

UP TO 8,000 GAWR



CRE3000

Designed for towing improvement over the standard stock equalizer.

- Provides 3" of suspension travel
- Smoother towing than conventional leaf springs
- Protects from damaging road shock
- Unique travel slot for increased wheel travel
- Easy bolt-on installation
- 2 year warranty
- Utilizes rubber to cushion shock




	PART #	BASE	WIDTH
TANDEM	CRE2-33	33"	N/A
	CRE2-35	35"	N/A
TANDEM	CRE2-1000	42"	10"
TAN	CRE2-1475	42"	14 3/4"
TRIPLE	CRE3-33	33"	N/A
포	CRE3-35	35"	N/A

UP TO 8,000 GAWR



Use the CRE3000 qualification guide to determine compatibility.





INDEPENDENT SUSPENSION

The luxury suspension system.

The independent design of this system allows each wheel to respond individually to the road. That means your unit glides easily over uneven and rough roads to give you the comfortable ride you deserve.

• Smooth towing experience

- Suspension travel up to 5-1/2"
- Rubber shear springs absorb road shock
- 5-year warranty



Call 574-293-1581 to make your install appointment.



EATURES

* The disc brakes shown in the photo are sold separately.



Join the I.S. **Owners' Club!**

Ask the service department for details.

HEAVY-DUTY SHACKLE

The Heavy-Duty Shackle Kit is an excellent upgrade for your running gear.

- Thicker shackles for added strength
- Bronze bushings for more durability
- · Greasable bolts for improved maintenance
- Complete peace of mind
- · Lock nuts to ensure security



Part Number

current suspension system:		Standard Frame Hanger	OEM Correct Track Hanger
MORryde LRE	tandem	LRE12-001	LRE12-016
MORTY de LIKE	triple	LRE12-004	LRE12-017
MORryde SRE 4000, CRE 3000	tandem	UO12-016	UO12-029
and Stock with 2-1/4" shackles	triple	UO12-023	UO12-030
Stock with 3-1/8" shackles	tandem	UO12-021	UO12-031
Stock With 3-1/6 Shackles	triple	UO12-024	UO12-032

X-FACTOR **CROSSMEMBER**

- Designed to greatly reduce frame stress
- Provides added lateral strength
- Uses high-strength low-alloy steel
- Adjustable to fit different frame widths
- No welding necessary
- Easy installation





RE21-004	Crossmember for MORryde LRE & RE suspensions
XF12-001	Crossmembers for standard frame hangers
XF12-002	Correct Track frame hanger adapter kit*
XF12-003	Drop-down adapter kit*

* Requires purchase of XF12-001.



• The XF12-003 allows for 5" of clearance on the underbelly of the RV.



X marks the spot when it comes to the simplest, most effective stabilizer on the market. MORryde's X-Brace stabilizers are a collaboration between MORryde and Winfield Products that install easily and provide enhanced lateral support. This means your trailer is stable, solid, and secure. Whether someone is walking inside the unit or you are experiencing strong winds, your trailer is rock solid because of the X-Brace design.

5TH WHEEL STABILIZER

- > Uses X-Brace design to provide exceptional stability
- > Installs in minutes unlike other products on the market
- > Unique turnbuckle design allows for easy adjustments
- > Helps distribute weight for a stable camping experience
- > No drilling required

SP54-180



SCISSOR JACK STABILIZER

- > Provides exceptional stability
- > Stabilizer jacks lift vertically, with very little lateral stability
- > Installs onto existing stabilizer jacks & locks in stability
- > Uses a tensioning tool to tighten and adjust the X-Brace
- > Perfect for front & rear travel trailers with scissor jacks
- > Works on the rear 5th wheel scissor jacks
- > No drilling required

SP54-181

HITCH MOUNT STABILIZER

- For 5th wheels, Class C, Class A motorhomes and truck campers – just needs a 2" hitch receiver
- > Provides stability from excessive or unwanted movement
- > Unique design provides for simple installation

> No drilling required

SP54-18

STABILIZERS

POWER CORD REELS

A simple way to store your power cord.



EASY REEL™ SPOOLERS

The Easy Reel™ delivers the simplest, smoothest, and most convenient way to effectively store your power cord.

Store up to 50' of 50-amp cordCrank handle easily spools cord

• Left- or right-hand operation

• Rugged steel construction

• Space-saving design

EA

• Designed for detachable power cords



Tall Reel

Stores up to 50' of 50-amp cord

DIMENSIONS:

7.6" w x 17.6" h x 21" d

REEL56-001H



Stores up to 30' of 50-amp cord

DIMENSIONS:

14.3" w x 13.4" h x 12.8" d

REEL56-009H





Motorized Reel

- Motorized operation
- Store up to 30' of 50-amp cord
- Rugged steel construction
- Ceiling mount option to maximize storage
- Convenient in-line fuse
- Space-saving design for efficient cord storage
- Designed for detachable power cords

REEL56-014H

DIMENSIONS:

16" w x 13.4" h x 12.8" d



- · Fully assembled
- · Carpeted flooring
- Ball-bearing slide
- · No measuring or cutting
- 800 lb weight capacity
- Extends 60%
- 90" trays slide out from both sides
- Easy to install




	36" L	48" L	60" L	72" L	90" L
20" W	CTG60-2036W	CTG60-2048W	CTG60-2060W	CTG60-2072W	CTG60-2090W
26" W	CTG60-2636W	CTG60-2648W	CTG60-2660W	CTG60-2672W	CTG60-2690W
29" W	CTG60-2936W	CTG60-2948W	CTG60-2960W	CTG60-2972W	CTG60-2990W
33" W	CTG60-3336W	CTG60-3348W	CTG60-3360W	CTG60-3372W	CTG60-3390W
36" W	CTG60-3636W	CTG60-3648W	CTG60-3660W	CTG60-3672W	CTG60-3690W
39" W	CTG60-3936W	CTG60-3948W	CTG60-3960W	CTG60-3972W	CTG60-3990W
42" W	CTG60-4236W	CTG60-4248W	CTG60-4260W	CTG60-4272W	CTG60-4290W
48" W	CTG60-4836W	CTG60-4848W	CTG60-4860W	CTG60-4872W	CTG60-4890W
52" W	CTG60-5236W	CTG60-5248W	CTG60-5260W	CTG60-5272W	CTG60-5290W

CARGO TRAY RISER KIT

Raise your RV storage system with a cargo tray extender. This easy-to-install kit gives your sliding tray the extra height it needs to clear the lip of your basement compartment.

- · Height adjustments (1.625", 2.5", 2.8", 3.125")
- 800 lb weight capacity
- Easy to install
- · Works with all MORryde Cargo Trays
- 6 riser brackets

• Each kit includes CTG54-001



72" CARGO SLIDES

with 80% EXTENSION

Trays slide out from both sides of unit.

SIZE	PART#	WEIGHT CAP.
20"W X 72"L	CTG80-2072-2DW	500lb
26"W X 72"L	CTG80-2672-2DW	500lb
29"W X 72"L	CTG80-2972-2DW	500lb
33"W X 72"L	CTG80-3372-2DW	500lb
36"W X 72"L	CTG80-3672-2DW	500lb
39"W X 72"L	CTG80-3972-2DW	500lb
42"W X 72"L	CTG80-4272-2DW	500lb
48"W X 72"L	CTG80-4872-2DW	500lb
52"W X 72"L	CTG80-5272-2DW	500lb



UTILITY TRAYS

- Conveniently stores common RV generators
- Durable powder coat
- 100% extension
- Roller bearing slides
- No assembly required



DIMENSIONS: (w x d x h) WEIGHT CAPACITY

	Dimizitoronto. (II x a x ii)	
SP60-041	14" x 14" x 2.75" (inside) 16.25" x 15.75" x 5" (outside)	250 lb
SP60-042	14" x 21" x 2.75" (inside) 16.25" x 22.75" x 5" (outside)	250 lb
SP60-043	21" x 14" x 2.75" (inside) 23.25" x 15.75" x 5" (outside)	250 lb
SP60-044	24" x 24" x 2.75" (inside) 26.25" x 25.75" x 5" (outside)	300 lb
SP60-047	20.25" x 17.5" x 2.75" (inside) 22.75" x 19.25" x 3.25" (outside) 250 lb



FREEZER TRAYS

These 200% extension slides are great for your freezer, refrigerator, or any cargo that you would like to access past the unit's slide-out.

- 225 lb weight capacity
- Ready to install in minutes
- Durable powder coat



Our steel TV Mounts are well-known for rugged quality and sleek functionality. Perfect for recreational vehicles, hospitality suites, and home patios.

TV MOUNTS

WALL MOUNTS



Swinging

This unique design offers a full range of viewing options. Double joint arm extends 18" and swings up to 180°. Locks in for safe travel.



- Tilt & Swivel Adjustment
- Tilts 0-10.5°
- TV Swivels up to 350°
- Up to 200 x 200 VESA



TV1-021H

DIMENSIONS:

11.25"w x 11"h x 3.28"d (closed) or 18"d (open)







• Up to 100 x 100 VESA



DIMENSIONS:

TV1-025H

10.5"w x 8.9"h x 3.45"d (closed) or 18"d (open)



- Extends 7" farther than our other Swinging Wall Mounts
- Strap release
- 180° of swing
- Swivel and tilt
- Locks in for safe travel
- Up to 200 x 200 VESA



DIMENSIONS:

14.8"w x 10.5"h x 3.3"d (closed) or 25"d (open)

TV1-087H

Drop Down

The Drop Down Wall Mount moves out from the wall and drops down for a better viewing angle. The ability to drop your TV mount down allows you to reduce the glare that is all too common.



- · Low profile when closed
- Pulls straight out
- Swivels for a variety of viewing positions
- · Locks in place for safe travel
- 100x100 and 200x200 VESA



WEIGHT CAPACITY:

12lbs (min) - 20lbs (max)



13.3"w x 17.6"h x 5.2"d up position

13.3"w x 29"h x 8.5"d down position

TV56-129H



Follow these steps to find out which TV Mount is best for your application.



VESA HOLE PATTERN OF TV OR MONITOR?

VESA patterns available with MORryde TV mounts: 75 x 75 • 100 x 100 200 x 200 • 300 x 300 400 x 400



WEIGHT OF THE TV OR MONITOR?

MORryde mounts are available in these weight capacities:











STEP 3

TV INSTALLATION LOCATION

Range of motion desired:

- SWIVEL left to right
- SLIDING in & out
- TILT up & down
- FLIP up or down

WALL MOUNTS

Snap-In

These unique TV mounts allow for easy removal and reattachment of a flat screen TV without the hassle of unscrewing the TV from the mount.



Extend & Swivel

• Up to 200 x 200 VESA



TV10-E-35H

DIMENSIONS:

10.5"w x 8.9"h x 5.3"d (min) / 15.3"d (max)



Swivel

• 200 x 200 VESA



TV10-S-35H

DIMENSIONS:

9.8"w x 8.5"h x 3.8"d



Rigid

• Up to 200 x 200 VESA



TV10-F-35H

DIMENSIONS: 9.8"w x 8.8"h x 2"d



Small Rigid

• Up to 100 x 100 VESA



TV1-051H

DIMENSIONS:

5.8"w x 5"h x 1.75"d



Large Rigid

• Up to 400 x 400 VESA



TV1-048H

DIMENSIONS:

18.5"w x 16.5"h x 1.1"d

TV MOUNTS

MADE IN THE USA

BASE MOUNTS



Slide Out

Designed to swivel and slide out, this bracket is perfect for installation in a cabinet or corner.



- Slides out 7"
- Swivels
- Tilts 0 -10.5°
- · Adjust for TV height
- Up to 200 x 200 VESA
- Locks in extended and retracted positions



DIMENSIONS: 6"w x 17"h (tall) or 12.5"h (short) x 15.8"d **TV40-001H**Tall — up to 55" TV **TV40-001H-S**Short— up to 32" TV

Base or Ceiling

This mount is excellent for under-cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Swivel and tilt
- Up to 28" TV
- Up to 100 x 100 VESA
- Requires reinforced structure when used as a ceiling mount



DIMENSIONS: 6.5"w x 11.5"h or 4.5"d

TV1-012H

Rigid Adjustable

This low profile TV mount with adjustable mounting height is perfect for your new flat screen. Easy to install and the hardware is included.



- · Adjust for TV height
- Up to 200 x 200 VESA
- Up to 40" TV





DIMENSIONS:

8.9"w x 12.4"h (min) or 17.6"h (max) x 6"d

TV1-003H

Rigid

This low-profile wall mount is ideal for your flat-screen TV or monitor in your RV. It comes fully assembled for easy installation.



- Low profile design saves space
- Up to 200 x 200 VESA
- Mounts on any vertical surface
- Easy install



DIMENSIONS: 8.85"w x 11"h x 1.14"d

TV1-002H

Swivel or Rigid

This mount is excellent for under the cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Low profile
- Up to 200 x 200 VESA
- Single stud install
- Swivels ±15°



DIMENSIONS:

8.75"w x 11.3"h x 4"d (swivel) or 1.1"d (rigid)

Portable TV Mounts

Place multiple docking plates anywhere for entertainment where you want it. Up to $100 \times 100 \times$



Swivel & Tilt



TV5-002H

DIMENSIONS: 5"w x 5.25"h x 2.5"d



Extension w/Swivel & Tilt



TV5-003H

DIMENSIONS: 5"w x 6.75"h x 9"d



Low Profile Rigid



TV5-004H

DIMENSIONS: 4.75"w x 4.25"h x 0.75"d



Rigid & Swivel Extension



TV5-005H

DIMENSIONS: 4.75"w x 6.5"h x 10.5"d

HORIZONTAL SLIDING MOUNTS



- 200 x 200 VESA
- Extends 22"
- Pivots 120°
- · Space-saving



TV40-002H

DIMENSIONS:

24.25"w x 13"h x 6.5"d



- 200 x 200 VESA
- Extends 20.5"
- Pivots 180°
- · Space saving



TV40-011H

DIMENSIONS:

20.75"w x 11.5"h x 4.6"d



TV MOUNTS

MADE IN THE USA

CEILING MOUNTS





Drop Down

The Drop Down Ceiling Mount saves space and allows you to keep your TV out of the way until it is needed. The friction pivot lowers the TV slowly and allows you to position it at many viewing angles. This mount is perfect for storing your TV in tight spaces.



- Swings down from ceiling
- Friction pivot allows for a variety of viewing angles
- Up to 24" TV
- VESA: 75 x 75, 100 x 100, 100 x 200, 200 x 200



DIMENSIONS: 8.6"w x 14.77"h x 5.58'

8.6"w x 14.77"h x 5.58"d (in down position)

TV1-080H

Flip Down

This mount is excellent for under-cabinet installation or reinforced ceilings. Flip down while viewing and flip up to store it out of the way.



- Swings up & out of the way
- · Locks in for safe travel
- Swivel & tilt
- Up to 24" TV
- 100 x 100 VESA



DIMENSIONS:

6.5"w x 12.8"h x 8"d (in down position) TV56-010H

Slide-Out & Flip Down

This mount attaches to a horizontal surface or ceiling, most commonly inside a basement cargo bay. It can then slide out of the compartment, flip down, and swivel.



- Ideal for baggage compartments
- Slides out 17"
- Swivel & Tilt
- 200 x 200 VESA



DIMENSIONS:

8"w x 7.5"h x 21"d (min) 38"d (max)

TV40-010H

ADAPTER PLATES



VESA 200 x 400 300 x 300 400 x 400

Two Configurations Available

TV54-014H



VESA 100 x 200 200 x 200

TV54-009H



VESA 300 x 300 300 x 400

TV1-008H

400 x 400

Conveniently holds dinette chairs in place without straps

THE CHAIR BUDDY



Conveniently secure the dinette chairs in your RV with the Chair Buddy.

No need for bulky, awkward straps.

The Chair Buddy holds everything in place during travel and folds out of the way when you don't need it. Look for the "T" in the handle to ensure it is a genuine MORryde Chair Buddy.

- Effectively secures your chairs which helps protect from damage while traveling
- · Clean, sturdy design
- · Installs in minutes
- Easily folds out of the way
- No straps

EATURES

LOOK for the "T"

Don't have a vertical column to attach your Chair Buddy?

No problem! Our Chair Buddy adapter allows you to attach your Chair Buddy to the underside of your tabletop.



Chair Buddy
CB56-001H

Chair Buddy Adapter CB56-002H

At MORryde, we have a passion for building quality products.

Today's RVers are wanting quality products that will help them enjoy their RV and the RV lifestyle even further. MORryde is committed to designing and producing quality products that meet and exceed their expectations. And it doesn't stop at the sale. We stand behind our products, believing in quality first, service always. No matter the issue, we'll be committed to doing MORE for our customers.



Above. Beyond. Always.

1966 Sterling Avenue • Elkhart, IN 46516 574-293-1581 • sales@MORryde.com www.MORryde.com







