



The StepAbove® family of products offers a simple, secure and safe way to enter and exit your trailer. A growing line of steps have been designed to fit the requirements of your RV.

More Secure. MORryde

WHICH STEP IS RIGHT FOR YOUR RV?



STEPABOVE®

The StepAbove RV entry step system gives you more stability, security and safety as you enter and exit your RV. Ideal for most travel trailers and 5th wheels.



STRUT ASSIST

Easily operate your StepAbove step system for your trailer or 5th wheel with our innovative strut assist.

The zero gravity step you can lift with a finger.



QUICK CONNECT

The clip-on step that attaches to the outside of your unit. The choice when a StepAbove doesn't work with your unit.



FLIP TREAD

These steps are ideal for normal entry doors as well as floor plans with interior steps that protrude into the doorway. Have a Toyhauler? This step gives you maximum storage space so you have plenty of room for all of your *toys*!



PATIO

The ground stable patio steps offer added stability and safety as you enter and exit your rear or side patio.

STILL UNSURE ABOUT WHICH STEP IS RIGHT FOR YOU?

Give us a call at 574.293.1581 or email parts@morryde.com for more information.





INDUSTRY-LEADING 5001b WEIGHT CAPACITY



STEPABOVE®

Upgrade your trailer or 5th wheel with our innovative StepAbove step system to give you bounce-free, wobble-free stability. With adjustable feet (no dealing with annoying pins) you get a level step every time – even rough terrain is no problem for your StepAbove. Easily store and lock your StepAbove into your door entrance.

U R E S

⋖

ш

Ш

- Lightweight
- Stable entry when entering and exiting your RV
- · Wide top step for better footing
- Quick-release leg adjustment
- Gradual step slope for easier usage
- Easy removal in tight spaces







LEARN MORE about the **STEP**ABOVE



BEFORE YOU ORDER — Review the Qualification Guide to determine the correct StepAbove for your unit.



STEPABOVE **FIT CHART**

	PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	OR- Size from Flange to Flange
O CTED	STP-201	25" – 29.5"	9"	24"	21.75" – 22.25"
2 STEP	STP-202	25" – 29.5"	9"	26" – 28"	23.75" – 26.25"
National Property of the Control of					
	STP-203	34" – 37"	9"	24"	21.75" – 22.25"
	STP-204	30" – 33.5"	8"	24"	21.75" – 22.25"
O CTED	STP-206	30" – 33.5"	8"	26" – 28"	23.75" – 26.25"
3 STEP	STP-207	34" – 37"	9"	26" – 28"	23.75" – 26.25"
	STP-208	30" – 33.5"	8"	30" – 32"	27.75" – 30.25"
	STP-209	34" – 37"	9"	30" – 32"	27.75" – 30.25"
A CTED	STP-212	37.5" – 42"	8"	26" – 28"	23.75" – 26.25"
4 STEP	STP-213	37.5" – 42"	8"	30" – 32"	27.75" – 30.25"

STRUT ASSIST STEP

Easily operate your StepAbove step system for your travel trailer or 5th wheel with our innovative strut assist. The Strut Step offers a self-contained, ground stable entry system to more effortlessly operate your StepAbove while still providing sure footing when entering and exiting your RV.

EATURES

- Gas struts create lightweight operation
- Easily lift and lower design
- Convenient storage
- Industry-leading 500 lb weight capacity













STRUT ASSIST FIT CHART

	PART NUMBER	STEP HEIGHT	STEP RISE	DOOR WIDTH Size from Factory Label	OR— DOOR WIDTH Size from Flange to Flange
	STP-205	31.5" – 37"	9"	26"	23.75" – 24.25"
3 STEP	STP-210	31.5" – 37"	9"	30"	27.75" – 28.25"
	STP-211	37.5" – 42"	8"	26"	23.75" – 24.25"
4 STEP	STP-214	37.5" – 42"	8"	30"	27.75" – 28.25"





LEARN MORE about the **STRUT ASSIST**



BEFORE YOU ORDER —

Review the **Qualification Guide** to determine the correct Strut Assist for your unit.





QUICK CONNECT FIT CHART

weight capacity

	PART NUMBER	STEP HEIGHT	STEP RISE
2 STEP	STP-221	21.5" – 27.5"	9"
3 STEP	STP-222	27.5" – 36"	8"
4 STEP	STP-223	35.5" – 44"	8"



Quick-release latch



BEFORE YOU ORDER —

Review the **Pre-Installation Instructions** to determine the correct Quick Connect Step for your unit.

FLIP TREAD STEP

These sleek steps offer the same stability as our standard StepAbove. To ensure your unit stays clean, the treads of this step easily flip up to remove dust and dirt before they fold up into your doorway. Flip Tread Steps are ideal for normal entry doors as well as floor plans with interior steps that protrude into the doorway.

TURES

⋖

- Lightweight pull-down design
- Durable construction
- Secure storage inside door entrance
- · Adjustable feet
- Industry-leading 500 lb weight capacity
- Collapsible treads allow for easy cleaning



BEFORE YOU ORDER —

Review the **qualifier** to determine the best Flip Tread Step for your unit.



Please note: Handrail not available for this model.





PATIO STEP

MORryde's ground stable patio steps offer added stability and safety as you enter and exit your rear or side patio.

• Easily attach and detach

- Durable construction
- Secure storage inside door entrance
- Adjustable feet
- Industry-leading 500 lb weight capacity



Ш S

 α

⋖

ш

Please call MORryde to determine the best step for your unit.



STEPMates

Navigating Your RV Steps Made Easy

Products designed to work with your steps for added safety, storage and convenience.

SAFE-T-RAIL

Entering and exiting your RV is now easier and safer with MORryde's Safe-T-Rail.

EATURES

- Provides 54" of continuous rail surface and extends 42.5" from the RV wall
- Easy and quick to install
- Magnetic lock and secondary pin holds rail in place during travel





BEFORE YOU ORDER — review the **qualifier** to determine if it will work for your unit.



SP56-469

LATCH EXTENDER

Offers additional leverage and stability when getting into your RV.


- Great for kids and seniors
- Attaches to door lock
- Longer handle = greater gripping surface
- Easier to reach and open door without going up and down the stairs





BEFORE YOU ORDER -

review the **qualifier** to determine if it will work for your unit.



SP54-200

HANDRAIL

Get added stability with the StepAbove handrail. Available for three and four step models.

EATURES

- · Lightweight design
- · Left-side attachment
- Folds into entrance doorway
- Durable construction
- Black powder coated finish
- Simple bolt-on installation



Please Note

36" of clearance inside the doorway is needed for any handrail to be added to your RV.

If you are unsure about which StepAbove model you own, please call the parts department at 574-293-1581.

Designed for 1ST GENERATION STEPABOVE

3 Step **STP214-029H**

4 Step

STP214-006H

Designed for 2ND GENERATION STEPABOVE

3 Step **STP214-121H**

4 Step

STP214-120H



STORAGE BOX

œ

⋖

A perfect storage solution that replaces the stock steps after a StepAbove is installed.

- Lockable door to secure your items
- 27 ¾" wide, 10" tall and 10.5" deep, approximately 1.5 cubic feet of space
- The box is made of durable steel with a lockable aluminum door
- Durable powder coated finish
- Fits most step mounts
- Simple bolt-on installation




BEFORE YOU ORDER —

Review the **qualifier** to determine if the Storage Box will work for your unit.

MOTION ACTIVATED STEP LIGHTS

Illuminate your path with bright LEDs that attach to the bottom of the StepAbove or Lippert™ Solid Step. Two lights included per kit.

- · Sleek, low profile design
- Conveniently illuminates your steps for a safer entry and exit
- Magnetic attachment for easy removal
- Daylight sensor extends life of batteries
- LED lights offer a bright path
- On/Off/Auto switch
- Up to 48 hours of continuous use
- · AAA battery powered (not included)







REMOVABLE HINGE PLATE*

Convert standard StepAbove steps to a quick-release style and easily remove them when a unit is in storage or parked in tight spaces.

Please Note * The Removable Hinge Plate is designed for the first generation StepAbove units. The quick-release style comes standard on the 2nd Generation StepAbove units.

26" Door STP54-030

30" & 32" Doors STP54-031



STEP LATCH

Add a lockable feature to the Strut Assist StepAbove with a Step Latch.

- Provides additional security while stored in doorway
- Easy-to-use pull latch mechanism
- Simple bolt-on installation



STEP GRAB HANDLE

Create extra stability when lowering the StepAbove by adding a Grab Handle.

S EATUR


- Provides additional ease when lowering
- Attaches underneath step tread
- Simple bolt-on installation





- Maintenance-free
- · Reduces back-and-forth chucking and jerking
- · Cushioned sensation over uneven roads
- Uses 100% natural rubber shear springs









IANDLING & SMOOTHER TOWING

To make things even smoother for you, our RPB System is available for aftermarket installation and installs in an hour on most 5th wheels. For more details, contact our Parts Department at 574-293-1581.



Gooseneck/Andersen Hitch Reinforcement Adapter Kit*

Used with a MORryde Rubber Pin Box when connecting to a gooseneck adapter or Andersen hitch. One size fits all MORryde Rubber Pin Box models.



Pull Rite Adapter Kit

Used with the Pull Rite SuperGlide hitch.

RPB77-001

RPB77-006

^{*} Gooseneck sold separately. Installation of a gooseneck adapter will void the Rubber Pin Box warranty.

RUBBER PIN BOX

RUBBER PIN BOX FIT CHART

Cross Reference Guide		Order according to GVWR of the trailer, not the GVW of the pin box.*				
MFG	MODEL#	11,500 or less	11,501 - 14,000	14,001 - 18,000	18,001 & over	Pin Box Rating
Lippert	1621, SHD-TA	N/A	N/A	RPB72-1621SHD-TA-05	RPB72-1621SHD-TA-06	24k
Lippert	1621HD	RPB72-1621HD-03	RPB72-1621HD-04	RPB72-1621HD-05	N/A	21k
Lippert	1621SHD	N/A	N/A	N/A	RPB72-1621SHD-06	23k
Lippert	1116	RPB72-1116-03	RPB72-1116-04	RPB72-1116-05	RPB72-1116-06	19k
Lippert	1716	RPB72-1716-03	RPB72-1716-04	RPB72-1716-05	N/A	18k
Lippert	Rhino	RPB77-FD-03	RPB77-FD-04	RPB77-FD-05	RPB77-FD-06	24k
Leland	7900	RPB72-7900-03	RPB72-7900-04	RPB72-7900-05	N/A	15k
Leland	7920, 7921	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	N/A	19k
Dexter	221-0023-00	RPB72-221002300-03	RPB72-221002300-04	RPB72-221002300-05	RPB72-221002300-06	19k
Dexter	221-0031	RPB72-2210031-03	RPB72-2210031-04	RPB72-2210031-05	N/A	16k







To order a pin box system, please identify the following:

OR

- Model Number of the stock pin box (usually found on a label on the pin box)
- GVWR* of the trailer: MORryde has a specific rubber spring for different weight ratings


If the stock part number is not available:

- Determine the bolt pattern (A),
- Measure the width (B)
- Measure the distance from center of king pin to center of first row of bolts (C)
- · Visit MORryde.com and search for the Rubber Pin Box identification guide to convert these measurements into a MORryde part number.









- Great for travel trailers and 5th wheels
- Safe, secure cord storage
- · Stores outside the Pin Box to discourage animals from building nests
- · Helps prevent wire cuts and fraying
- · Securely keeps cord off the ground
- Strong magnetic application



SUSPENSION SYSTEMS







The independent design of the MORryde IS system allows each wheel to respond individually to the road. That means your unit glides easily over uneven and rough roads to give you the comfortable ride you deserve.

- Provides up to 5.5" of suspension travel
- Much smoother towing than conventional leaf springs
- Better protection of the trailer from rough roads
- Far more durable than leaf spring suspension systems
- 5-year warranty

Call 574-293-1581 or email us at parts@MORryde.com to schedule your installation appointment.










FEATUR







Join the I.S. Owners' Club!

Ask the service department for details.



The disc brakes shown in the photos are sold separately.

oth Out ROUGH ROADS



ALLTREK 4000

Designed to protect your trailer all the time, wherever you tow.

- Provides 4" of suspension travel
- Over 40% more rubber than the CRE3000 for smoother, more comfortable towing
- Protects trailer from damaging road shock
- 3 year warranty
- The most rigorously-tested MORryde equalizer suspension to date
- Easy, bolt-on installation





Review the **AllTrek** 4000 qualification guide to determine compatibility.

	PART #	WHEEL BASE	
TANDEM	TG2-33	33"	
TAN	TG2-35	35"	
RIPLE	TG3-33H	33"	
TRI	TG3-35H	35"	

UP TO 8,000 GAWR



CRE3000

Designed for towing improvement over the standard stock equalizer.

• Provides 3" of suspension travel

- Smoother towing than conventional leaf springs
- · Protects from damaging road shock
- Unique travel slot for increased wheel travel
- · Easy bolt-on installation
- 2 year warranty
- · Utilizes rubber to cushion shock



TURI

	PART #	WHEEL BASE	BEAM WIDTH
TANDEM	CRE2-33	33"	N/A
TAN	CRE2-35	35"	N/A
TANDEM	CRE2-1000	42"	10"
AAN	CRE2-1475	42"	14 3/4"
TRIPLE	CRE3-33	33"	N/A
ᠴ	CRE3-35	35"	N/A

UP TO 8,000 GAWR



Review the **CRE**3000 qualification guide to determine compatibility.




HEAVY-DUTY SHACKLE KIT

Thick. Durable. Greasable.

The Heavy-Duty Shackle Kit is an excellent upgrade for your running gear.

- Thick shackles provide added strength
- · Bronze bushings for more durability
- · Greasable bolts make maintenance easy
- · Complete peace of mind







LEARN MORE ABOUT THE HEAVY-DUTY SHACKLE KIT





Order kit according to your current suspension system:
MORryde LRE
MORryde SRE 4000, CRE 3000 and Stock with 2-1/4" shackles
Stock with 3-1/8" shackles

	Part # Standard Frame Hanger	Part # OEM Correct Track Hanger
tandem	LRE12-001	LRE12-016
triple	LRE12-004	LRE12-017
tandem	UO12-016	UO12-029
triple	UO12-023	UO12-030
tandem	UO12-021	UO12-031
triple	UO12-024	UO12-032

X-FACTOR **CROSSMEMBER**

- Designed to greatly reduce frame stress
- · Provides added lateral strength
- Uses high-strength low-alloy steel
- · Adjustable to fit different frame widths
- No welding necessary

Easy installation



Part #	Description
RE21-004	Crossmember for MORryde LRE & RE suspensions
XF12-001	Crossmembers for standard frame hangers
XF12-002	Correct Track frame hanger adapter kit*
XF12-003	Drop-down adapter kit*

* Requires purchase of XF12-001.



Only one crossmember per kit. The XF12-003 allows for 5" of clearance on the underbelly of the RV.



ES

EATUR




X marks the spot when it comes to the simplest, most effective stabilizer on the market. MORryde's X-Brace stabilizers are a collaboration between MORryde and Winfield Products that install easily and provide enhanced lateral support. This means your trailer is stable, solid, and secure. Whether someone is walking inside the unit or you are experiencing strong winds, your trailer is rock solid because of the X-Brace design.

5TH WHEEL STABILIZER

- > Uses X-Brace design to provide exceptional stability
- > Installs in minutes unlike other products on the market
- > Unique turnbuckle design allows for easy adjustments
- > Helps distribute weight for a stable camping experience
- > No drilling required

SP54-180



SCISSOR JACK STABILIZER

- > Provides exceptional stability
- > Stabilizer jacks lift vertically, with very little lateral stability
- > Installs onto existing stabilizer jacks & locks in stability
- > Uses a tensioning tool to tighten and adjust the X-Brace
- > Perfect for front & rear travel trailers with scissor jacks
- > Works on the rear 5th wheel scissor jacks
- > No drilling required

SP54-181

HITCH MOUNT STABILIZER

- > For 5th wheels, Class C, Class A motorhomes and truck campers – just needs a 2" hitch receiver
- > Provides stability from excessive or unwanted movement
- > Unique design provides for simple installation

> No drilling required

SP54-182



STABILIZERS

POWER CORD REELS

A simple way to store your power cord.



EASY REEL™ SPOOLERS

The Easy Reel™ delivers the simplest, smoothest, and most convenient way to effectively store your power cord.

Store up to 50' of 50-amp cord
Crank handle easily spools cord

- Left- or right-hand operation
- zon or ngm mana operane.
- Rugged steel construction
- Space-saving design

E A

• Designed for detachable power cords



Tall Reel

Stores up to 50' of 50-amp cord

DIMENSIONS:

7.6" w x 17.6" h x 21" d

REEL56-001H



Economy Reel

Stores up to 30' of 50-amp cord

DIMENSIONS:

14.3" w x 13.4" h x 12.8" d

REEL56-009H





Motorized Reel

- Motorized operation
- Store up to 30' of 50-amp cord
- Rugged steel construction
- Ceiling mount option to maximize storage
- Convenient in-line fuse
- Space-saving design for efficient cord storage
- Designed for detachable power cords



REEL56-014H

DIMENSIONS: 16" w x 13.4" h x 12.8" d

Conveniently holds dinette chairs in place without straps

THE CHAIR BUDDY™



Conveniently secure the dinette chairs in your RV with the Chair Buddy.

No need for bulky, awkward straps.

The Chair Buddy holds everything in place during travel and folds out of the way when you don't need it. Look for the "T" in the handle to ensure it is a genuine MORryde Chair Buddy.

- Effectively secures your chairs which helps protect from damage while traveling
- · Clean, sturdy design
- · Installs in minutes
- Easily folds out of the way
- No straps

Ш

EATUR



Don't have a vertical column to attach your Chair Buddy?

No problem! Our Chair Buddy adapter allows you to attach your Chair Buddy to the underside of your tabletop.



LEARN MORE ABOUT THE CHAIR BUDDY



Chair Buddy
CB56-001H

Chair Buddy Adapter CB56-002H



with 60% EXTENSION

- · Fully assembled
- 90" trays slide out from both sides of unit.*
- · Carpeted flooring

ഗ

04

⋖

- · Ball-bearing slide
- · No measuring or cutting
- 800 lb weight capacity
- Extends 60%
- · Easy to install








800 LB WEIGHT CAP ON ALL CARGO TRAYS LISTED ABOVE

CARGO TRAY RISER KIT

Raise your RV storage system with a cargo tray extender. This easy-to-install kit gives your sliding tray the extra height it needs to clear the lip of your basement compartment.

- Height adjustments (1.625", 2.5", 2.8", 3.125")
- 800 lb weight capacity
- · Easy to install
- · Works with all MORryde Cargo Trays

· Each kit includes 6 riser brackets



72" CARGO TRAYS

with 80% EXTENSION

Trays slide out from both sides of unit.

SIZE	PART#	WEIGHT CAP.
20"W X 72"L	CTG80-2072-2DW	500 lb
26"W X 72"L	CTG80-2672-2DW	500 lb
29"W X 72"L	CTG80-2972-2DW	500 lb
33"W X 72"L	CTG80-3372-2DW	500 lb
36"W X 72"L	CTG80-3672-2DW	500 lb
39"W X 72"L	CTG80-3972-2DW	500 lb
42"W X 72"L	CTG80-4272-2DW	500 lb
48"W X 72"L	CTG80-4872-2DW	500 lb
52"W X 72"L	CTG80-5272-2DW	500 lb



UTILITY TRAYS



ഗ ш ~ ATU ш

- Conveniently stores common RV generators
- Durable powder coat
- 100% extension
- Roller bearing slides
- · No assembly required



	DIMENSIONS: (w x d x h)	WEIGHT CAPACITY
SP60-041	14" x 14" x 2.75" (inside) 16.25" x 15.75" x 5" (outside)	250 lb
SP60-042	14" x 21" x 2.75" (inside) 16.25" x 22.75" x 5" (outside)	250 lb
SP60-043	21" x 14" x 2.75" (inside) 23.25" x 15.75" x 5" (outside)	250 lb
SP60-044	24" x 24" x 2.75" (inside) 26.25" x 25.75" x 5" (outside)	300 lb
SP60-047	20.25" x 17.5" x 2.75" (inside) 22.75" x 19.25" x 3.25" (outside	250 lb

FREEZER TRAYS

These 200% extension slides are great for your freezer, refrigerator, or any cargo that you would like to access past the unit's slide-out.

• 225 lb weight capacity

• Ready to install in minutes

• Durable powder coat



LEARN MORE ABOUT FREEZER TRAYS



WIDE PULL

DIMENSIONS: (w x d x h)

31.42" x 19.7" x 2.5" (inside)

WEIGHT CAPACITY 37.6" x 21.6" x 5" (outside) 225 lb

SP56-132 18" x 26.5" x 6" (outside) Narrow Pull 14" x 24.8" x 2.5" (inside)

SP56-115

Wide Pull

225 lb

SP56-388 41.57" x 22.66" x 5" (outside) Wide Pull 37.62" x 21.17" x 2.5" (inside)

225 lb

GRIDDLE TRAYS

FEATURES

- Fits most common 24" RV griddle sizes
- Clip on shelves for added shelf space
- Tie down strap included



SP56-567





DIMENSIONS: (w x d x h)

WEIGHT CAPACITY

22.375" x 25.375" x 4.125"

200 lb

Our steel TV Mounts are well-known for rugged quality and sleek functionality. Perfect for recreational vehicles, hospitality suites, and home patios.

TV MOUNTS

WALL MOUNTS



Swinging

This unique design offers a full range of viewing options. Double joint arm extends 18" and swings up to 180°. Locks in for safe travel.



- Tilt & Swivel Adjustment
- Tilts 0-10.5°
- TV Swivels up to 350°
- Up to 200 x 200 VESA



DIMENSIONS:

11.25"w x 11"h x 3.28"d (closed) or 18"d (open)



TV1-006H



• Up to 100 x 100 VESA



DIMENSIONS:

10.5"w x 8.9"h x 3.45"d (closed) or 18"d (open)



- Extends 7" farther than our other Swinging Wall Mounts
- Strap release
- 180° of swing
- Swivel and tilt
- Locks in for safe travel
- Up to 200 x 200 VESA




DIMENSIONS:

14.8"w x 10.5"h x 3.3"d (closed) or 25"d (open)


TV1-087H

Drop Down

The Drop Down Wall Mount moves out from the wall and drops down for a better viewing angle. The ability to drop your TV mount down allows you to reduce the glare that is all too common.



- · Low profile when closed
- Pulls straight out
- Swivels for a variety of viewing positions
- · Locks in place for safe travel
- 100x100 and 200x200 VESA



WEIGHT CAPACITY:

12lbs (min) - 20lbs (max)



13.3"w x 17.6"h x 5.2"d up position

13.3"w x 29"h x 8.5"d down position

TV56-129H





Follow these steps to find out which TV Mount is best for your application.



VESA HOLE PATTERN OF TV OR MONITOR?

VESA patterns available with MORryde TV mounts: 75 x 75 • 100 x 100 200 x 200 • 300 x 300 400 x 400



WEIGHT OF THE TV OR MONITOR?

MORryde mounts are available in these weight capacities:











TV INSTALLATION LOCATION

Range of motion desired:

- SWIVEL left to right
- SLIDING in & out
- TILT up & down
- FLIP up or down

WALL MOUNTS

Snap-In

These unique TV mounts allow for easy removal and reattachment of a flat screen TV without the hassle of unscrewing the TV from the mount.



Extend & Swivel

• Up to 200 x 200 VESA



TV10-E-35H

DIMENSIONS:

10.5"w x 8.9"h x 5.3"d (min) / 15.3"d (max)



Swivel

• 200 x 200 VESA



TV10-S-35H

DIMENSIONS:

9.8"w x 8.5"h x 3.8"d



Rigid

• Up to 200 x 200 VESA



TV10-F-35H

DIMENSIONS: 9.8"w x 8.8"h x 2"d



Small Rigid

• Up to 100 x 100 VESA



TV1-051H

DIMENSIONS:

5.8"w x 5"h x 1.75"d



Large Rigid

• Up to 400 x 400 VESA



TV1-048H

DIMENSIONS:

18.5"w x 16.5"h x 1.1"d

MADE IN THE USA

CEILING MOUNTS





Drop Down

The Drop Down Ceiling Mount saves space and allows you to keep your TV out of the way until it is needed. The friction pivot lowers the TV slowly and allows you to position it at many viewing angles. This mount is perfect for storing your TV in tight spaces.



- Swings down from ceiling
- Friction pivot allows for a variety of viewing angles
- Up to 24" TV
- VESA: 75 x 75, 100 x 100, 100 x 200, 200 x 200



DIMENSIONS: 8.6"w x 14.77"h x 5.58"d (in down position)

TV1-080H

Flip Down

This mount is excellent for under-cabinet installation or reinforced ceilings. Flip down while viewing and flip up to store it out of the way.



- Swings up & out of the way
- · Locks in for safe travel
- Swivel & tilt
- Up to 24" TV
- 100 x 100 VESA



DIMENSIONS: 6.5"w x 12.8"h x 8"d (in down position)

TV56-010H

Slide-Out & Flip Down

This mount attaches to a horizontal surface or ceiling, most commonly inside a basement cargo bay. It can then slide out of the compartment, flip down, and swivel.



- Ideal for baggage compartments
- Slides out 17"
- Swivel & Tilt
- 200 x 200 VESA




DIMENSIONS:

8"w x 7.5"h x 21"d (min) 38"d (max)

TV40-010H

ADAPTER PLATES



VESA 200 x 400 300 x 300 400 x 400

Two Configurations Available

TV54-014H



VESA 100 x 200 200 x 200

TV54-009H



VESA 300 x 300 300 x 400 400 x 400

TV1-008H

BASE MOUNTS



Slide Out

Designed to swivel and slide out, this bracket is perfect for installation in a cabinet or corner.



- Slides out 7"
- Swivels
- Tilts 0 -10.5°
- Adjust for TV height
- Up to 200 x 200 VESA
- Locks in extended and retracted positions



DIMENSIONS: 6"w x 17"h (tall) or 12.5"h (short) x 15.8"d **TV40-001H**Tall — up to 55" TV **TV40-001H-S**Short— up to 32" TV

Base or Ceiling

This mount is excellent for under-cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Swivel and tilt
- Up to 28" TV
- Up to 100 x 100 VESA
- Requires reinforced structure when used as a ceiling mount



DIMENSIONS: 6.5"w x 11.5"h or 4.5"d

TV1-012H

Rigid Adjustable

This low profile TV mount with adjustable mounting height is perfect for your new flat screen. Easy to install and the hardware is included.



- Adjust for TV height
- Up to 200 x 200 VESA
- Up to 40" TV
- Base plate faces toward the front



DIMENSIONS:

8.9"w x 12.4"h (min) or 17.6"h (max) x 6"d

TV1-003H

Rigid

This low-profile wall mount is ideal for your flat-screen TV or monitor in your RV. It comes fully assembled for easy installation.



- Low profile design saves space
- Up to 200 x 200 VESA
- Mounts on any vertical surface
- Easy install



DIMENSIONS: 8.85"w x 11"h x 1.14"d

TV1-002H

Swivel or Rigid

This mount is excellent for under the cabinet installation or reinforced ceilings. It can also be mounted to a counter or desk for a great monitor mount.



- Low profile
- Up to 200 x 200 VESA
- Single stud install
- Swivels ±15°



TV1-001H — *Swivel* **TV1-002H** — *Rigid*

DIMENSIONS:

8.75"w x 11.3"h x 4"d (swivel) or 1.1"d (rigid)

HORIZONTAL SLIDING MOUNTS



- 200 x 200 VESA
- Extends 22"
- Pivots 120°
- Space-saving



TV40-002H

DIMENSIONS:

24.25"w x 13"h x 6.5"d



- 200 x 200 VESA
- Extends 20.5"
- Pivots 180°
- Space saving



TV40-011H

DIMENSIONS:

20.75"w x 11.5"h x 4.6"d





Retracted

PORTABLE MOUNTS

Place multiple docking plates anywhere for entertainment where you want it. Up to 100 x 100 VESA and single stud installation. Each Portable TV Mount comes with two docking plates.



Swivel & Tilt



TV5-002H

DIMENSIONS: 5"w x 5.25"h x 2.5"d



Extension w/Swivel & Tilt



TV5-003H

DIMENSIONS: 5"w x 6.75"h x 9"d



Low Profile Rigid



TV5-004H

DIMENSIONS: 4.75"w x 4.25"h x 0.75"d



Rigid & Swivel Extension



TV5-005H

DIMENSIONS: 4.75"w x 6.5"h x 10.5"d

